

HPD UNIQUE IDENTIFIER: 21263

CLASSIFICATION: 07 13 52 Modified Bituminous Sheet Waterproofing

PRODUCT DESCRIPTION: 650 WB Liquid Adhesive is a water-based, rubber-based, low-tack adhesive which is specifically formulated to provide excellent adhesion. It has a VOC content of 5 g/L. 650 WB Liquid Adhesive will be pink color in appearance. It is designed to be used in ambient temperatures and surface temperatures of 40°F (5°C) and rising. This product is used in conjunction with our TERM Membranes.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

650 WB LIQUID ADHESIVE | WATER (PRIMARY CASRN IS 7732-18-5) BM-4
UNDISCLOSED Not Screened AMMONIUM HYDROXIDE LT-P1 | RES | AQU
| SKI | MUL FERRIC OXIDE BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Only raw materials required to be reported on an SDS are included in the HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 05 Regulatory (g/l): 05

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Indoor Carpet, Carpet Pad Subfloor, VCT & Asphalt Tile, Dry Wall & Panel and Cove Base, as amended 1/7/05)

VOC content: SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Indoor Carpet, Carpet Pad Subfloor, VCT & Asphalt Tile, Dry Wall & Panel and Cove Base, as amended 1/7/05)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-08-05

PUBLISHED DATE: 2020-08-05

EXPIRY DATE: 2023-08-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

650 WB LIQUID ADHESIVE

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities were reported on the supplier's SDS.

OTHER PRODUCT NOTES: One component is not listed on any of the screening tools.

WATER (PRIMARY CASRN IS 7732-18-5)

ID: 1371582-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-05

#: 45.0000 - 55.0000

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Used a solvent

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-05

#: 2.0000 - 3.0000

GS: Not Screened

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: This raw material is not listed on the Green Screen data base.

AMMONIUM HYDROXIDE

ID: 1336-21-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-05

#: 0.5000 - 0.6000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: **Used a stabilizer**

FERRIC OXIDE

ID: **1309-37-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-08-05**

#: **0.1000 - 0.2000**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: **Pigment**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Indoor Carpet, Carpet Pad Subfloor, VCT & Asphalt Tile, Dry Wall & Panel and Cove Base, as amended 1/7/05)

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-07-27**

EXPIRY DATE:

CERTIFIER OR LAB: **none**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Low VOC water based liquid adhesive**

VOC CONTENT

SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Indoor Carpet, Carpet Pad Subfloor, VCT & Asphalt Tile, Dry Wall & Panel and Cove Base, as amended 1/7/05)

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-07-27**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **VOC calculated using methods listed in SCAQMD rule1168**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Reviewed the SDS for all raw materials used in the production of this product. Performed calculations to determine the percentage of each component including the residuals and impurities.

MANUFACTURER INFORMATION

MANUFACTURER: **Polyguard Products**
ADDRESS: **4101 S I 45**
Ennis TX 75119, United States
WEBSITE: **www.Polyguard.com**

CONTACT NAME: **John Muncaster**
TITLE: **CEO**
PHONE: **2145155000**
EMAIL: **John@polyguard.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.